

DAFTAR PUSTAKA

- Adiputri, A., Darmiyanti, N. M., & Candra, I. W. (2018). The effectiveness of lavender oil treatment using effleurage massage technique towards dysmenorrhea intensity of female students at Midwifery academy of Kartini Bali. *International Journal of Research in Medical Science*, 6(6), 1886–1889. <https://doi.org/http://dx.doi.org/10.18203/2320-6012.ijrms20182266>
- Apay, S. E., Arslan, S., Akpinar, R. B., & Celebioglu, A. (2010). Original Article Effect of Aromatherapy Massage on Dysmenorrhea in Turkish Students A BSTRACT : *Pain Management Nursing*, (December). <https://doi.org/10.1016/j.pmn.2010.04.002>
- Astria, I., Utami, S., & Utomo, W. (2015). Efektifitas Kombinasi Teknik Slow Deep Breathing Dan Teknik Effleurage Terhadap Intensitas Nyeri Dismenorea, 2(2).
- Azima, S., Bakhshayesh, H. R., Mousavi, S., & Ashrafizaveh, A. (2015). Comparison of the effects of reflexology and massage therapy on primary, 26(3), 471–476.
- Bavil, D. A., Dolatian, M., Mahmoodi, Z., Baghban, A. A., Branch, I., & Sciences, R. (2016). Comparison of lifestyles of young women with and without primary dysmenorrhea. *Electronic Physician*, 8(3), 2107–2114. <https://doi.org/http://dx.doi.org/10.19082/2107>
- Bernardi, M., Lazzeri, L., Perelli, F., Petraglia, F., & Reis, F. M. (2017). Dysmenorrhea and related disorders [version 1 ; referees : 3 approved] Referee Status :, 6(0), 1–7. <https://doi.org/10.12688/f1000research.11682.1>
- Dewi, N. R., Ningsih, N., & Putri, R. H. (2012). The Effectiveness Between Warm Compress And Effleurage Technique Against Dysmenorrhoea. Diperoleh pada tanggal 25 Januari 2019 di <http://eprints.unsri.ac.id/1457/>
- Douglas, C., Rebeiro, G., Crisp, J., dan Taylor, C. 2012. Potter & perry's Fundamental of nursing – australian version. Australia: Elsevier.
- Ernawati, Hartiti, T., & Hadi, I. (2010). Terapi Relaksasi Terhadap Nyeri Dismenore pada Mahasiswi Universitas Muhammadiyah Semarang. Prosiding Seminar Nasional UNIMUS 2010, (18), 106–113. Diperoleh pada tanggal 12 Januari 2019 di <http://jurnal.unimus.ac.id/index.php/psn12012010/article/view/54/28>.
- French, L., Smith, C. A. (2015) “Dysmenorrhea,” Dysmenorrhea Clinical Pathway, hal. 1–3.

- Handayani, R., Winarni, & Sadiyanto. (2013). Pengaruh Massage Effleurage Terhadap Pengurangan Intensitas Nyeri Persalinan Kala I Fase Aktif pada Primipara di RSIA Bunda Arif Purwokerto Tahun 2011 Rohmi Handayani, Winarni & Sadiyanto. *Jurnal Kebidanan*, V(01), 66–73.
- Iacovides, S., Avidon, I., & Baker, F. C. (2015). What we know about primary dysmenorrhea today : a critical review, 21(6), 762–778. <https://doi.org/10.1093/humupd/dmv039>
- Jobling, P., O'Hara, K., & Hua, S. (2014). Female reproductive tract pain: Targets, challenges, and outcomes. *Frontiers in Pharmacology*, 5 FEB(February), 2008–2015. <https://doi.org/10.3389/fphar.2014.00017>
- Junizar, G. 2011. Pengobatan dismenore secara akupuntur. *Jurnal Cermin Dunia Kedokteran*, no. 133, hh. 50-51
- Kirana, D. P., & Kartini, A. (2013). Hubungan asupan gizi dan polamenstruasi dengan kejadian anemia pada remaja putri di SMAN 2 Semarang. Diperoleh pada tanggal 24 Januari 2019 di http://eprints.undip.ac.id/32594/1/395_Dian_Purwitaningtyas_Kirana_G2C007022.pdf
- Kusmiran, E. 2013. Kesehatan reproduksi remaja dan wanita. Jakarta : Salemba Medika, Hal: 19, 112-13.
- Madhubala, C., & Jyoti, K. (2012). Relation Between Dysmenorrhea and Body Mass Index in Adolescents with Rural Versus Urban Variation. *The Journal of Obstetrics and Gynecology of India*, 62(August), 442–445. <https://doi.org/10.1007/s13224-012-0171-7>
- Marni.2014. Perbedaan antara relaksasi dan kompres terhadap penurunan skala nyeri haid pada mahasiswa di Akper Giri Satria Husada Wonogiri, vol. 1,no. 2, hh.91-98.
- Maryunani, A. (2010). *Nyeri Dalam Persalinan Teknik dan Cara Penanganannya*. (Pain in Childbirth Techniques and The Handling). Jakarta : Trans Info Media.
- Mohamed, N., Mokadem, E. L., & Ibraheem, S. E. (2017). Cold Application and Breathing Exercises to Reduce Pain and Anxiety During Chest Tube Removal, 6(4), 285–292. <https://doi.org/10.11648/j.ajns.20170604.12>
- Ningsih, R. 2011. Efektifitas paket pereda terhadap intensitas nyeri pada remaja dengan dismenore di SMAN kecamatan curup. (Tesis). Depok : Fakultas Ilmu Keperawatan Universitas Indonesia.

- Paul, E., Ameade, K., & Mohammed, B. S. (2016). Women ' s Health and Wellness Numerical Rating Scales (NRS) as Pain Measurement Tools ClinMed International Library, (June). <https://doi.org/10.23937/2474-1353/1510017>
- Potter, & Perry. (2010). *Fundamental Keperawatan Buku 3*. Jakarta: Salemba Medika.
- Purwanti, S. (2013). Analisis perbedaan terapi dismenorhea dengan metode effleurage, kneading, dan yoga dalam mengatasi dismenorhea. Jurnal kebidanan vol. V, no. 01. Diperoleh pada tanggal 25 Januari 2019 di <http://journal.akbideub.ac.id/index.php/jkeb/article/view/106>
- Simkin, P., Whalley, J., & Keppler, A. (2008). Panduan lengkap kehamilan, melahirkan, dan bayi. Jakarta: ARCAN.
- Purwati, Y. (2018). The Effectiveness of Effleurage Massage Using Lavender Aromatherapy for Menstrual Pain Relief, *49*(2014), 104–109.
- Rashidi-Fakari, F., Tabatabaeichehr, M., & Mortazavi, H. (2015). The effect of aromatherapy by essential oil of orange on anxiety during labor: A randomized clinical trial. *Iranian Journal of Nurshing and Midwifery Research*, *20*(6), 661–664. <https://doi.org/10.4103/1735-9066.170001>
- Simanjuntak, Pandapotan. 2014. Gangguan Haid dan Siklusnya. Dalam: Prawirohardjo, Sarwono, Wiknjosastro, Hanifa. Ilmu Kandungan. Edisi ketiga. Jakarta: Bina Pustaka Sarwono Prawirohardjo. hlm. 229-232.
- Smeltzer, S.C, Bare, B.G, Hincle, J.I, Cheever, K.H. 2008. Textbook of medical surgical nursing; brunner & suddart. eleventh edition, Lipincott Williams & Wilkins, a Wolter Kluwer Business.
- Trisnabari, H. M., & Wahyuni. (2018). Manfaat Deep Breathing Exercise Terhadap Nyeri Haid Primer Pada Mahasiswi S1 Fisioterapi Universitas Muhammadiyah Surakarta, 755–761.
- Ulya, H. F., Suwandono, A., Ariyanti, I., Suwondo, A., Kumorowulan, S., & Pujiastuti, S. E. (2017). Comparison of Effects of Massage Therapy Alone and In Combination with Green Coconut Water Therapy on B -Endorphin Level in Teenage Girls With, *3*(4), 412–419.
- Unsal, A., Ayranci, U., Tozun, M., Arslan, G. U. L., & Calik, E. (2010). Prevalence of dysmenorrhea and its effect on quality of life among a group of female university students. *Upsala Journal of Medical Science*, (November 2009), 138–145. <https://doi.org/10.3109/03009730903457218>
- Wiknjosastro, H., Saifuddin, A.B., dan Rachimdhahi, T. 2009. Ilmu kandungan. Edisi kedua. Jakarta : PT Bina Pustaka Sarwono Prawirohardjo, hlmn: 103,127,203,229,230.

Zuliyati, Iin. (2013). Efektivitas Teknik Effluerage Dan Kompres Hangat terhadap Penurunan Tingkat Disminore Pada siswi SMA N 1 Gresik. (Effectiveness of Efflurage Technique and Warm Compression to Reduce Dismenorrhea on Students of SMA N 1 Gresik). (<http://www.docstoc.com/>) Accessed on October 8th 2018.